

CAPITAL REGIONAL DISTRICT
BYLAW NO. 4220

A BYLAW TO AMEND BYLAW NO. 1857, CAPITAL REGIONAL DISTRICT
TICKET INFORMATION AUTHORIZATION BYLAW 1990

The Board of the Capital Regional District in open meeting assembled enacts as follows:

- 1. Capital Regional District Ticket Information Authorization Bylaw 1990 is amended by deleting the existing Schedule 21 and replacing it with Schedule 21 attached as Appendix 1 to this Bylaw.
- 2. This Bylaw may be cited for all purposes as "Capital Regional District Ticket Information Authorization Bylaw, 1990, Amendment Bylaw No. 62, 2018".

READ A FIRST TIME THIS	th	DAY OF	2018
READ A SECOND TIME THIS	th	DAY OF	2018
READ A THIRD TIME THIS	th	DAY OF	2018
ADOPTED THIS	th	DAY OF	2018

CHAIR

SECRETARY

SCHEDULE 21 TO BYLAW NO. 1857**CAPITAL REGIONAL DISTRICT
SEWER USE BYLAW NO. 5, 2001**

<u>COLUMN 1</u>	<u>COLUMN 2</u>	<u>COLUMN 3</u>
WORD OR EXPRESSIONS DESIGNATING OFFENCE	SECTION	FINE
1. Discharge prohibited waste	2.1(a)	\$1,000
2. Discharge restricted waste	2.1(b)	\$500
3. High volume discharge	2.1(c)	\$200
4. Discharge without a permit and contrary to code of practice	2.1(d)	\$200
5. Unauthorized discharge of excess uncontaminated water	2.1(e)	\$200
6. Unauthorized discharge of septage	2.3	\$500
7. Unauthorized discharge of trucked liquid waste	2.4	\$500
8. Discharge to dilute non-domestic waste	2.5	\$500
9. Fail to provide spill containment	2.8(a)	\$150
10. Fail to post name and phone number as required	2.8(b)	\$50
11. Unauthorized discharge of recreational vehicle waste	2.9	\$750
12. Unauthorized discharge of carpet cleaner waste	2.10	\$750
13. Unauthorized discharge of ship and boat waste	2.11	\$750
14. Unauthorized discharge of kitchen equipment cleaning waste	2.12	\$500
15. Fail to adjust pH	2.13 (a)	\$500
16. Fail to maintain complete records	2.13 (b)	\$100
17. Fail to apply for permit	3.3	\$250
18. Fail to comply with permit terms or conditions	3.6	\$1000
19. Fail to comply with authorization terms or conditions	3.7	\$500
20. Bypass waste control works	5.2	\$500
21. Fail to maintain complete records, monitoring	6.1(a)	\$200
22. Fail to maintain complete records, administrative	6.1(b)	\$200
23. Fail to report unlawful discharge to a manager or officer	7.1(a)	\$250
24. Fail to report unlawful discharge to owner	7.1(b)	\$250
25. Fail to provide information to manager on premises	7.2 (a)	\$250
26. Fail to provide information on location	7.2 (b)	\$250
27. Fail to provide information on contact person	7.2 (c)	\$250
28. Fail to provide information on time, date and duration	7.2 (d)	\$250

SCHEDULE 21 TO BYLAW NO. 1857**CAPITAL REGIONAL DISTRICT
SEWER USE BYLAW NO. 5, 2001**

<u>COLUMN 1</u>	<u>COLUMN 2</u>	<u>COLUMN 3</u>
WORD OR EXPRESSIONS DESIGNATING OFFENCE	SECTION	FINE
29. Fail to provide information on type	7.2 (e)	\$250
30. Fail to provide information on volume	7.2 (f)	\$250
31. Fail to provide information on corrective action	7.2 (g)	\$250
32. Fail to confine unlawful discharge	7.3(a)	\$500
33. Fail to dispose of substance properly	7.3(b)	\$500
34. Fail to give 90 days notice of new activity	7.4(a)	\$250
35. Fail to give 90 days notice of activity change	7.4(b)	\$250
36. Inaccessible monitoring point	9.6	\$250
37. Hinder/prevent inspection	13.1	\$500
38. Discharge of restricted waste	Sch. I, 2.1 (a)	\$200
39. Discharge of prohibited waste	Sch. I, 2.1 (b)	\$200
40. Discharge of excess uncontaminated water	Sch. I, 2.1 (c)	\$200
41. Fail to install grease interceptor	Sch. I, 2.2	\$500
42. Fail to maintain grease interceptor	Sch. I, 2.3	\$150
43. Accumulation of excessive grease or solids	Sch. I, 2.4	\$100
44. Disposal of oil and grease to sewer	Sch. I, 2.5	\$150
45. Use of chemical agents	Sch. I, 2.6	\$150
46. Fail to connect fixture to grease interceptor, sink	Sch. I, 2.7 (a)	\$150
47. Fail to connect fixture to grease interceptor, exhaust hood	Sch. I, 2.7 (b)	\$150
48. Fail to connect fixture to grease interceptor, drain	Sch. I, 2.7 (c)	\$150
49. Fail to connect fixture to grease interceptor, compactor	Sch. I, 2.7 (d)	\$150
50. Fail to connect fixture to grease interceptor, dishwasher	Sch. I, 2.7 (e)	\$150
51. Fail to connect fixture to grease interceptor, floor drain	Sch. I, 2.7 (f)	\$150
52. Fail to connect fixture to grease interceptor, grease bearing fixture	Sch. I, 2.7 (g)	\$150
53. Connection of fixture discharging solids	Sch. I, 2.9 (a)	\$100
54. Connection of a toilet	Sch. I, 2.9 (b)	\$100
55. Connection of a garburator	Sch. I, 2.9 (c)	\$100

SCHEDULE 21 TO BYLAW NO. 1857**CAPITAL REGIONAL DISTRICT
SEWER USE BYLAW NO. 5, 2001**

<u>COLUMN 1</u>	<u>COLUMN 2</u>	<u>COLUMN 3</u>
WORD OR EXPRESSIONS DESIGNATING OFFENCE	SECTION	FINE
56. Fail to connect dishwasher	Sch. I, 2.10	\$150
57. Fail to install properly sized grease interceptor	Sch. I, 2.12	\$150
58. Fail to connect floor drains	Sch. I, 2.14	\$150
59. Fail to have required equipment on the grease interceptor	Sch. I, 2.17	\$100
60. Fail to install flow control device	Sch. I, 2.18	\$100
61. Fail to properly size or install flow control device	Sch. I, 2.19 (a)	\$100
62. Flow control cannot be verified	Sch. I, 2.19 (b)	\$100
63. Fail to install correct flow control device	Sch. I, 2.20	\$100
64. Inaccessible grease interceptor	Sch. I, 2.21	\$100
65. Fail to correctly install sampling tee, as required	Sch. I, 2.22 (a)	\$100
66. Improper sampling tee	Sch. I, 2.22 (b)	\$100
67. Inaccessible sampling tee	Sch. I, 2-22 (c)	\$150
68. Fail to keep records available for inspection	Sch. I, 2.22 (d)	\$100
69. Fail to label equipment	Sch. I, 2.23	\$50
70. Garburator connected to sewer	Sch. I, 2.24	\$150
71. Fail to disconnect garburator or install solids separator	Sch. I, 2.25	\$150
72. Fail to properly size solids separator	Sch. I, 2.26	\$150
73. Fail to remove cover on request	Sch. I, 2.27	\$200
74. Fail to maintain complete records, date	Sch. I, 3.1 (a)	\$100
75. Fail to maintain complete records, maintenance	Sch. I, 3.1 (b)	\$100
76. Fail to maintain complete records, material removed	Sch. I, 3.1 (c)	\$100
77. Fail to maintain complete records, location of disposal	Sch. I, 3.1 (d)	\$100
78. Discharge prohibited waste	Sch. J, 2.1 (a)	\$200
79. Discharge restricted waste	Sch. J, 2.1 (b)	\$200
80. Discharge excessive tetrachlorethene	Sch. J, 2.1 (c)	\$200
81. Discharge residue	Sch. J, 2.1 (d)	\$200
82. Discharge of excess uncontaminated water	Sch. J, 2.1 (e)	\$200

SCHEDULE 21 TO BYLAW NO. 1857**CAPITAL REGIONAL DISTRICT
SEWER USE BYLAW NO. 5, 2001**

<u>COLUMN 1</u>	<u>COLUMN 2</u>	<u>COLUMN 3</u>
WORD OR EXPRESSIONS DESIGNATING OFFENCE	SECTION	FINE
83. Unauthorized discharge of stormwater	Sch. J, 2.2	\$150
84. Fail to install second separator	Sch. J, 2.4 (a)	\$500
85. Fail to install filter	Sch. J, 2.4 (b)	\$500
86. Fail to install alarm	Sch. J, 2.4 (c)	\$500
87. Fail to install second filter	Sch. J, 2.4 (d)	\$500
88. Fail to install works in correct order	Sch. J, 2.5	\$150
89. Fail to inspect separator	Sch. J, 2.6 (a)	\$100
90. Fail to clean separator	Sch. J, 2.6 (b)	\$100
91. High level tetrachlorethylene	Sch. J, 2.7 (a)	\$150
92. Fail to clean separator	Sch. J, 2.7 (b)	\$150
93. Fail to recover solvent	Sch. J, 2.7 (c)	\$150
94. Fail to replace filter before expiry date	Sch. J, 2.8 (a)	\$100
95. Fail to replace filter after alarm	Sch. J, 2.8 (b)	\$100
96. Fail to replace filter after breakthrough	Sch. J, 2.8 (c)	\$100
97. Unauthorized discharge to treatment works	Sch. J, 2.9	\$100
98. Fail to correctly install monitoring point	Sch. J, 2.10 (a)	\$100
99. Improper monitoring point	Sch. J, 2.10 (b)	\$100
100. Inaccessible monitoring point	Sch. J, 2.10 (c)	\$150
101. Fail to protect sewer against spills	Sch. J, 3.1	\$150
102. Improper monitoring point	Sch. J, 2.10 (b)	\$100
103. Inaccessible monitoring point	Sch. J, 2.10 (c)	\$150
104. Fail to protect equipment against spills	Sch. J, 3.1	\$150
105. Fail to install spill containment system	Sch. J, 3.2	\$150
106. Undersized containment	Sch. J, 3.3	\$100
107. Open drains in containment	Sch. J, 3.4	\$150
108. Fail to block drains in contamination area	Sch. J, 3.5	\$150
109. Discharge untested water from containment	Sch. J, 3.6	\$100

SCHEDULE 21 TO BYLAW NO. 1857**CAPITAL REGIONAL DISTRICT
SEWER USE BYLAW NO. 5, 2001**

<u>COLUMN 1</u>	<u>COLUMN 2</u>	<u>COLUMN 3</u>
WORD OR EXPRESSIONS DESIGNATING OFFENCE	SECTION	FINE
110. Fail to prepare spill response plan	Sch. J, 4.1	\$100
111. Fail to prepare spill response plan within 30 days	Sch. J, 4.2	\$100
112. Fail to post spill response plan	Sch. J, 4.3	\$50
113. Fail to stock spill response materials	Sch. J, 4.4	\$100
114. Fail to include plugs	Sch. J, 4.5	\$100
115. Fail to follow spill response plan	Sch. J, 4.6	\$200
116. Fail to maintain complete records, date	Sch. J, 5.1 (a)	\$100
117. Fail to maintain complete records, inspection	Sch. J, 5.1 (b)	\$100
118. Fail to maintain complete records, carbon replaced	Sch. J, 5.1 (c)	\$100
119. Fail to maintain complete records, material removed	Sch. J, 5.1 (d)	\$100
120. Fail to maintain disposal records	Sch. J, 5.2	\$100
121. Fail to retain records	Sch. J, 5.3	\$100
122. Discharge excess contaminants, silver	Sch. K, 2.1 (a)	\$200
123. Discharge prohibited waste, excess contaminants, water	Sch. K, 2.1 (b)	\$200
124. Fail to treat wastes	Sch. K, 2.2 (b)	\$500
125. Fail to install and maintain equipment	Sch. K, 2.3	\$100
126. Fail to use metering pump	Sch. K, 2.4	\$100
127. Fail to calibrate metering pump	Sch. K, 2.5	\$100
128. Fail to properly locate recovery system as required	Sch. K, 2.6	\$100
129. Fail to install spill containment or cap drains	Sch. K, 2.7	\$150
130. Fail to test effluent	Sch. K, 2.8	\$100
131. Fail to install flow meter	Sch. K, 2.9 (a)	\$100
132. Fail to test flow meter	Sch. K, 2.9 (b)	\$100
133. Fail to replace silver recovery cartridge as recommended	Sch. K, 2.10 (a)	\$100
134. Fail to replace silver recovery cartridge at 80% capacity	Sch. K, 2.10 (b)	\$100
135. Fail to replace silver recovery cartridge over 1000 mg/L	Sch. K, 2.10 (c)	\$100
136. Fail to replace silver recovery cartridge for excess silver	Sch. K, 2.10 (d)	\$100

SCHEDULE 21 TO BYLAW NO. 1857**CAPITAL REGIONAL DISTRICT
SEWER USE BYLAW NO. 5, 2001**

<u>COLUMN 1</u>	<u>COLUMN 2</u>	<u>COLUMN 3</u>
WORD OR EXPRESSIONS DESIGNATING OFFENCE	SECTION	FINE
137. Fail to replace both silver recovery cartridges	Sch. K, 2.11	\$100
138. Fail to keep maintenance manual	Sch. K, 3.1	\$50
139. Fail to maintain complete records, serial number	Sch. K, 3.2 (a)	\$100
140. Fail to maintain complete records, date	Sch. K, 3.2 (b)	\$100
141. Fail to maintain complete records, expiry date	Sch. K, 3.2 (c)	\$100
142. Fail to maintain complete records, capacity	Sch. K, 3.2 (d)	\$100
143. Fail to maintain complete records, calibrator	Sch. K, 3.2 (e)	\$100
144. Fail to maintain complete records, tests	Sch. K, 3.2 (f)	\$100
145. Fail to maintain complete records, operational problems	Sch. K, 3.2 (g)	\$100
146. Fail to maintain complete records on electrolytic unit	Sch. K, 3.3 (a)	\$100
147. Fail to record date of silver removal	Sch. K, 3.3 (b)	\$100
148. Fail to record date of maintenance	Sch. K, 3.3 (c)	\$100
149. Fail to record operational problems	Sch. K, 3.3 (d)	\$100
150. Discharge prohibited waste	Sch. L, 2.1 (a)	\$200
151. Discharge of excess uncontaminated water	Sch. L, 2.1 (b)	\$200
152. Fail to use a certified amalgam separator	Sch. L, 2.3 (b)	\$500
153. Fail to correctly install and maintain amalgam separator	Sch. L, 2.5	\$150
154. Fail to install certified amalgam separator	Sch. L, 2.6	\$150
155. Fail to treat wastewater with amalgam separator	Sch. L, 2.7 (a)	\$150
156. Fail to correctly install monitoring point	Sch. L, 2.7 (b)	\$100
157. Fail to include total flow	Sch. L, 2.7 (c)	\$100
158. Inaccessible monitoring point	Sch. L, 2.7 (d)	\$150
159. Fail to install internal flow control fitting	Sch. L, 2.8	\$100
160. Fail to properly size flow control fitting	Sch. L, 2.9	\$100
161. Fail to properly locate amalgam separator	Sch. L, 2.10	\$100
162. Fail to install spill containment or cap drains	Sch. L, 2.11	\$150
163. Fail to replace collecting container on time	Sch. L, 2.12 (a)	\$100

SCHEDULE 21 TO BYLAW NO. 1857**CAPITAL REGIONAL DISTRICT
SEWER USE BYLAW NO. 5, 2001**

<u>COLUMN 1</u>	<u>COLUMN 2</u>	<u>COLUMN 3</u>
WORD OR EXPRESSIONS DESIGNATING OFFENCE	SECTION	FINE
164. Fail to replace collecting container when full	Sch. L, 2.12 (b)	\$100
165. Fail to replace collecting container on breakthrough	Sch. L, 2.12 (c)	\$100
166. Disposal of collected waste dental amalgam to sewer	Sch. L, 2.13	\$200
167. Fail to keep maintenance manual	Sch. L, 3.1	\$50
168. Fail to post ISO standard test report	Sch. L, 3.2	\$50
169. Fail to maintain complete records, date of install	Sch. L, 3.3 (a)	\$100
170. Fail to maintain complete records, serial number	Sch. L, 3.3 (b)	\$100
171. Fail to maintain complete records, maximum flow rate	Sch. L, 3.3 (c)	\$100
172. Fail to maintain complete records, date of inspection	Sch. L, 3.3 (d)	\$100
173. Fail to maintain complete records, description of problems	Sch. L, 3.3 (e)	\$100
174. Fail to maintain complete records, service provider	Sch. L, 3.3 (f)	\$100
175. Fail to maintain complete records, dates of waste pick-up	Sch. L, 3.3 (g)	\$100
176. Discharge prohibited waste	Sch. M, 2.1 (a)	\$200
177. Discharge restricted waste	Sch. M, 2.1 (b)	\$200
178. Discharge excess oil and grease	Sch. M, 2.1 (c)	\$200
179. Discharge excess uncontaminated water	Sch. M, 2.1 (d)	\$200
180. Discharge fuel-water	Sch. M, 2.1 (e)	\$200
181. Discharge from parts washer	Sch. M, 2.1 (f)	\$200
182. Discharge from oily rag washing	Sch. M, 2.1 (g)	\$200
183. Discharge from engine washing	Sch. M, 2.1 (h)	\$200
184. Unauthorized discharge of stormwater	Sch. M, 2.2	\$100
185. Unauthorized discharge of groundwater	Sch. M, 2.3	\$150
186. Fail to install treatment works	Sch. M, 2.4	\$500
187. Fail to install properly sized separator	Sch. M, 2.6	\$150
188. Fail to treat discharge	Sch. M, 2.7	\$150
189. Unauthorized discharge to treatment works	Sch. M, 2.8	\$100
190. Use of chemical agents	Sch. M, 2.9	\$150

SCHEDULE 21 TO BYLAW NO. 1857**CAPITAL REGIONAL DISTRICT
SEWER USE BYLAW NO. 5, 2001**

<u>COLUMN 1</u>	<u>COLUMN 2</u>	<u>COLUMN 3</u>
WORD OR EXPRESSIONS DESIGNATING OFFENCE	SECTION	FINE
191. Fail to correctly install monitoring point	Sch. M, 2.10 (a)	\$100
192. Improper monitoring point	Sch. M, 2.10 (b)	\$100
193. Inaccessible treatment works	Sch. M, 2.11	\$100
194. Accumulation of excessive oil and grease	Sch. M, 2.12	\$100
195. Accumulation of excessive solids	Sch. M, 2.13	\$100
196. Fail to inspect separator	Sch. M, 2.14	\$100
197. Fail to clean separator	Sch. M, 2.15	\$150
198. Fail to conduct annual cleaning	Sch. M, 2.16	\$150
199. Fail to provide spill containment, used batteries	Sch. M, 3.1 (a)	\$150
200. Fail to provide spill containment, used solvents	Sch. M, 3.1 (b)	\$150
201. Fail to provide spill containment, fuel tanks	Sch. M, 3.1 (c)	\$150
202. Fail to provide spill containment, prohibited waste	Sch. M, 3.1 (d)	\$150
203. Fail to supervise discharge	Sch. M, 3.2	\$150
204. Fail to prepare spill response plan	Sch. M, 4.1	\$100
205. Fail to prepare spill response plan within 30 days	Sch. M, 4.2	\$100
206. Fail to post spill response plan	Sch. M, 4.3	\$50
207. Fail to follow spill response plan	Sch. M, 4.4	\$200
208. Fail to inspect following spill	Sch. M, 4.5	\$150
209. Fail to remove spilled materials	Sch. M, 4.6	\$150
210. Fail to stock spill response materials	Sch. M, 4.7	\$100
211. Fail to maintain complete records, date of inspection	Sch. M, 5.1 (a)	\$100
212. Fail to maintain complete records, maintenance	Sch. M, 5.1 (b)	\$100
213. Fail to maintain complete records, material depth	Sch. M, 5.1 (c)	\$100
214. Fail to maintain complete records, quantity removed	Sch. M, 5.1 (d)	\$100
215. Fail to maintain complete records, service provider	Sch. M, 5.1 (e)	\$100
216. Fail to maintain design information	Sch. M, 5.2	\$100
217. Fail to maintain record of waste disposal, name	Sch. M, 5.4 (a)	\$100

SCHEDULE 21 TO BYLAW NO. 1857**CAPITAL REGIONAL DISTRICT
SEWER USE BYLAW NO. 5, 2001**

<u>COLUMN 1</u>	<u>COLUMN 2</u>	<u>COLUMN 3</u>
WORD OR EXPRESSIONS DESIGNATING OFFENCE	SECTION	FINE
218. Fail to maintain record of waste disposal, type of waste	Sch. M, 5.4 (b)	\$100
219. Fail to maintain record of waste disposal, amount	Sch. M, 5.4 (c)	\$100
220. Fail to maintain record of waste disposal, date of transfer	Sch. M, 5.4 (d)	\$100
221. Fail to retain records	Sch. M, 5.5	\$100
222. Discharge prohibited wastes	Sch. N, 2.1 (a)	\$200
223. Discharge restricted waste	Sch. N, 2.1 (b)	\$200
224. Discharge of excess uncontaminated water	Sch. N, 2.1 (c)	\$200
225. Discharge from engine washing	Sch. N, 2.1 (d)	\$200
226. Discharge of trucked liquid waste	Sch. N, 2.1 (e)	\$200
227. Discharge of carpet cleaning waste	Sch. N, 2.1 (f)	\$200
228. Discharge of recreational vehicle waste	Sch. N, 2.1 (g)	\$200
229. Discharge from oily rag washing	Sch. N, 2.1 (h)	\$200
230. Unauthorized discharge of stormwater	Sch. N, 2.2	\$100
231. Unauthorized discharge of groundwater	Sch. N, 2.3	\$150
232. Fail to install treatment works	Sch. N, 2.4	\$500
233. Fail to install treatment works	Sch. N, 2.6	\$500
234. Fail to install properly designed and sized interceptor	Sch. N, 2.7 (a)	\$150
235. Fail to install properly designed three chamber interceptor	Sch. N, 2.7 (b)	\$150
236. Fail to treat discharge	Sch. N, 2.8	\$150
237. Unauthorized discharge to treatment works	Sch. N, 2.9	\$100
238. Use of chemical agents	Sch. N, 2.10	\$150
239. Fail to correctly install monitoring point	Sch. N, 2.11 (a)	\$100
240. Improper monitoring point	Sch. N, 2.11 (b)	\$100
241. Inaccessible treatment works	Sch. N, 2.12	\$100
242. Accumulation of excessive oil and grease in treatment works	Sch. N, 2.13	\$100
243. Accumulation of excessive solids in treatment works	Sch. N, 2.14	\$100
244. Fail to inspect treatment works	Sch. N, 2.15	\$100

SCHEDULE 21 TO BYLAW NO. 1857**CAPITAL REGIONAL DISTRICT**
SEWER USE BYLAW NO. 5, 2001

<u>COLUMN 1</u>	<u>COLUMN 2</u>	<u>COLUMN 3</u>
WORD OR EXPRESSIONS DESIGNATING OFFENCE	SECTION	FINE
245. Fail to clean treatment works	Sch. N, 2.16	\$150
246. Fail to conduct required cleaning of treatment works	Sch. N, 2.17	\$150
247. Fail to display signs	Sch. N, 2.18	\$50
248. Engine washing	Sch. N, 2.19	\$150
249. Fail to prepare spill response plan	Sch. N, 3.1	\$100
250. Fail to prepare spill response plan within 30 days	Sch. N, 3.2	\$100
251. Fail to post spill response plan	Sch. N, 3.3	\$50
252. Fail to follow spill response plan	Sch. N, 3.4	\$200
253. Fail to inspect treatment works following spill	Sch. N, 3.5	\$150
254. Fail to remove spilled materials	Sch. N, 3.6	\$150
255. Fail to stock materials	Sch. N, 3.7	\$100
256. Fail to maintain complete records, date of inspections	Sch. N, 4.1 (a)	\$100
257. Fail to maintain complete records, maintenance	Sch. N, 4.1 (b)	\$100
258. Fail to maintain complete records, material depth	Sch. N, 4.1 (c)	\$100
259. Fail to maintain complete records, quantity removed	Sch. N, 4.1 (d)	\$100
260. Fail to maintain complete records, service provider	Sch. N, 4.1 (e)	\$100
261. Fail to maintain design information	Sch. N, 4.2	\$100
262. Fail to maintain record of waste disposal, name	Sch. N, 4.4 (a)	\$100
263. Fail to maintain record of waste disposal, type of waste	Sch. N, 4.4 (b)	\$100
264. Fail to maintain record of waste disposal, amount	Sch. N, 4.4 (c)	\$100
265. Fail to maintain record of waste disposal, date of transfer	Sch. N, 4.4 (d)	\$100
266. Fail to retain records	Sch. N, 4.5	\$100
267. Discharge prohibited waste	Sch. O, 2.1 (a)	\$200
268. Discharge hazardous waste	Sch. O, 2.1 (b)	\$200
269. Discharge restricted waste	Sch. O, 2.1 (c)	\$200
270. Discharge stormwater	Sch. O, 2.1 (d)	\$200
271. Discharge of excess uncontaminated water	Sch. O, 2.1 (e)	\$200

SCHEDULE 21 TO BYLAW NO. 1857**CAPITAL REGIONAL DISTRICT
SEWER USE BYLAW NO. 5, 2001**

<u>COLUMN 1</u>	<u>COLUMN 2</u>	<u>COLUMN 3</u>
WORD OR EXPRESSIONS DESIGNATING OFFENCE	SECTION	FINE
272. Discharge excess total suspended solids	Sch. O, 2.1 (f)	\$200
273. Fail to treat waste	Sch. O, 2.2 (b)	\$500
274. Fail to visually inspect	Sch. O, 2.3 (a)	\$150
275. Fail to maintain screen	Sch. O, 2.3 (b)	\$150
276. Discharge unscreened waste	Sch. O, 2.4	\$150
277. Fail to install spill containment	Sch. O, 2.5	\$150
278. Fail to inspect equipment for leaks, hoses	Sch. O, 2.7 (a)	\$100
279. Fail to inspect filter gaskets	Sch. O, 2.7 (b)	\$100
280. Fail to inspect pumps	Sch. O, 2.7 (c)	\$100
281. Fail to inspect holding tanks	Sch. O, 2.7 (d)	\$100
282. Fail to prevent discharge to sewer	Sch. O, 2.8 (a)	\$100
283. Fail to repair leak within 72 hours	Sch. O, 2.8 (b)	\$100
284. Fail to keep records, inspections	Sch. O, 3.1 (a)	\$100
285. Fail to keep records, leaks	Sch. O, 3.1 (b)	\$100
286. Fail to keep records, screen replacement	Sch. O, 3.1 (c)	\$100
287. Fail to keep records, maintenance	Sch. O, 3.1 (d)	\$100
288. Fail to retain records	Sch. O, 3.2	\$100
289. Discharge prohibited waste, excess contaminants, water	Sch. P, 2.1	\$200
290. Fail to neutralize pH waste	Sch. P, 2.2	\$150
291. Fail to remove solids	Sch. P, 2.3	\$500
292. Fail to filter waste	Sch. P, 2.4 (b)	\$500
293. Fail to correctly install sampling tee	Sch. P, 2.7 (a)	\$100
294. Improper sampling tee	Sch. P, 2.7 (b)	\$100
295. Inaccessible sampling tee	Sch. P, 2.9	\$150
296. Fail to keep records, mash tun	Sch. P, 3.1 (a)	\$100
297. Fail to keep records, kettle wash	Sch. P, 3.1 (b)	\$100
298. Fail to keep records, back flush	Sch. P, 3.1 (c)	\$100

SCHEDULE 21 TO BYLAW NO. 1857**CAPITAL REGIONAL DISTRICT
SEWER USE BYLAW NO. 5, 2001**

<u>COLUMN 1</u>	<u>COLUMN 2</u>	<u>COLUMN 3</u>
WORD OR EXPRESSIONS DESIGNATING OFFENCE	SECTION	FINE
299. Fail to keep records, yeast residue	Sch. P, 3.1 (d)	\$100
300. Fail to keep records, location of sampling tee	Sch. P, 3.1 (e)	\$100
301. Fail to keep records, pH adjustment	Sch. P, 3.1 (f)	\$100
302. Fail to keep records, date of testing	Sch. P, 3.1 (g)	\$100
303. Fail to retain records	Sch. P, 3.2	\$100
304. Discharge prohibited waste	Sch. Q, 2.1 (a)	\$200
305. Discharge hazardous waste	Sch. Q, 2.1 (b)	\$200
306. Discharge restricted waste	Sch. Q, 2.1 (c)	\$200
307. Discharge solvent rinse	Sch. Q, 2.1 (d)	\$200
308. Discharge inks	Sch. Q, 2.1 (e)	\$200
309. Discharge etching solution	Sch. Q, 2.1 (f)	\$200
310. Discharge cleaning solvents	Sch. Q, 2.1 (g)	\$200
311. Discharge of excess uncontaminated water	Sch. Q, 2.1 (h)	\$200
312. Unauthorized discharge of stormwater	Sch. Q, 2.2	\$100
313. Fail to install trade waste interceptor	Sch. Q, 2.3	\$500
314. Fail to install works	Sch. Q, 2.4	\$500
315. Fail to install and calibrate metering pump	Sch. Q, 2.6	\$150
316. Fail to replace treatment works as recommended	Sch. Q, 2.8 (a)	\$150
317. Fail to replace treatment works at 80% capacity	Sch. Q, 2.8 (b)	\$150
318. Fail to replace treatment works total oil and grease at breakthrough	Sch. Q, 2.8 (c)	\$150
319. Fail to replace treatment works at breakthrough of oil and grease	Sch. Q, 2.8 (d)	\$150
320. Fail to properly size trade waste interceptor	Sch. Q, 2.11	\$150
321. Bypass of treatment equipment	Sch. Q, 2.12	\$150
322. Fail to divert domestic waste	Sch. Q, 2.13	\$150
323. Use of chemical agents	Sch. Q, 2.15	\$150
324. Fail to correctly install monitoring point	Sch. Q, 2.16 (a)	\$100
325. Inaccessible monitoring point	Sch. Q, 2.16 (b)	\$150

SCHEDULE 21 TO BYLAW NO. 1857**CAPITAL REGIONAL DISTRICT
SEWER USE BYLAW NO. 5, 2001**

<u>COLUMN 1</u>	<u>COLUMN 2</u>	<u>COLUMN 3</u>
WORD OR EXPRESSIONS DESIGNATING OFFENCE	SECTION	FINE
326. Inaccessible treatment works	Sch. Q, 2.17	\$150
327. Accumulation of excessive floatables	Sch. Q, 2.18	\$150
328. Accumulation of excessive solids	Sch. Q, 2.19	\$150
329. Fail to inspect trade waste interceptor	Sch. Q, 2.20	\$100
330. Fail to maintain trade waste interceptor	Sch. Q, 2.21	\$150
331. Fail to clean trade waste interceptor	Sch. Q, 2.22	\$150
332. Fail to provide spill containment for solvents	Sch. Q, 3.1 (a)	\$150
333. Fail to provide spill containment for waste solvents	Sch. Q, 3.1 (b)	\$150
334. Fail to prepare spill response plan	Sch. Q, 4.1	\$100
335. Fail to prepare spill response plan within 60 days	Sch. Q, 4.2	\$100
336. Fail to follow spill response plan	Sch. Q, 4.3	\$200
337. Fail to inspect following spill	Sch. Q, 4.4	\$150
338. Fail to remove spilled materials	Sch. Q, 4.5	\$150
339. Fail to stock materials	Sch. Q, 4.6	\$100
340. Fail to maintain complete records, inspections	Sch. Q, 5.1 (a)	\$100
341. Fail to maintain complete records, maintenance	Sch. Q, 5.1 (b)	\$100
342. Fail to maintain complete records, material removed	Sch. Q, 5.1 (c)	\$100
343. Fail to maintain complete records, service provider	Sch. Q, 5.1 (d)	\$100
344. Fail to keep equipment records, installation date	Sch. Q, 5.2 (a)	\$100
345. Fail to keep equipment records, serial numbers	Sch. Q, 5.2 (b)	\$100
346. Fail to keep equipment records, expiry date	Sch. Q, 5.2 (c)	\$100
347. Fail to keep equipment records, capacity	Sch. Q, 5.2 (d)	\$100
348. Fail to keep equipment records, calibration dates	Sch. Q, 5.2 (e)	\$100
349. Fail to keep equipment records, problems	Sch. Q, 5.2 (f)	\$100
350. Fail to maintain design information	Sch. Q, 5.3	\$100
351. Fail to maintain spill response plan	Sch. Q, 5.4	\$100
352. Fail to maintain record of waste disposal, name	Sch. Q, 5.5 (a)	\$100

SCHEDULE 21 TO BYLAW NO. 1857**CAPITAL REGIONAL DISTRICT
SEWER USE BYLAW NO. 5, 2001**

<u>COLUMN 1</u>	<u>COLUMN 2</u>	<u>COLUMN 3</u>
WORD OR EXPRESSIONS DESIGNATING OFFENCE	SECTION	FINE
353. Fail to maintain record of waste disposal, type of waste	Sch. Q, 5.5 (b)	\$100
354. Fail to maintain record of waste disposal, amount	Sch. Q, 5.5 (c)	\$100
355. Fail to maintain record of waste disposal, date of transfer	Sch. Q, 5.5 (d)	\$100
356. Fail to retain records	Sch. Q, 5.6	\$100
357. Discharge prohibited waste	Sch. R, 2.1 (a)	\$200
358. Discharge restricted wastes	Sch. R, 2.1 (b)	\$200
359. Discharge chlorides	Sch. R, 2.1 (c)	\$200
360. Discharge pool filter media	Sch. R, 2.1 (d)	\$200
361. Discharge of excess uncontaminated water	Sch. R, 2.1 (e)	\$200
362. Unauthorized discharge of stormwater	Sch. R, 2.2	\$100
363. Fail to dechlorinate	Sch. R, 2.3	\$150
364. Fail to filter waste	Sch. R, 2.4	\$500
365. Fail to prevent discharge of leaked refrigerant	Sch. R, 2.6	\$100
366. Fail to correctly install monitoring point	Sch. R, 2.7 (a)	\$100
367. Improper monitoring point	Sch. R, 2.7 (b)	\$100
368. Fail to install monitoring point	Sch. R, 2.8	\$100
369. Inaccessible monitoring point	Sch. R, 2.9	\$150
370. Fail to maintain records, dates and results	Sch. R, 3.1 (a)	\$100
371. Fail to maintain records, method	Sch. R, 3.1 (b)	\$100
372. Fail to maintain records, method of solids removal	Sch. R, 3.1 (c)	\$100
373. Fail to maintain records, date of melting	Sch. R, 3.1 (d)	\$100
374. Fail to maintain records, date of leaks	Sch. R, 3.1 (e)	\$100
375. Fail to maintain records, location of monitoring point	Sch. R, 3.1 (f)	\$100
376. Fail to retain records	Sch. R, 3.2	\$100
377. Discharge prohibited waste	Sch. S, 2.1 (a)	\$200
378. Discharge restricted waste	Sch. S, 2.1 (b)	\$200
379. Discharge waste containing mercury	Sch. S, 2.1 (c)	\$200

SCHEDULE 21 TO BYLAW NO. 1857**CAPITAL REGIONAL DISTRICT
SEWER USE BYLAW NO. 5, 2001**

<u>COLUMN 1</u>	<u>COLUMN 2</u>	<u>COLUMN 3</u>
WORD OR EXPRESSIONS DESIGNATING OFFENCE	SECTION	FINE
380. Discharge waste containing PCB	Sch. S, 2.1 (d)	\$200
381. Discharge waste containing TEQ	Sch. S, 2.1 (e)	\$200
382. Discharge waste containing halogenated solvents	Sch. S, 2.1 (f)	\$200
383. Discharge waste containing chlorinated phenols	Sch. S, 2.1 (g)	\$200
384. Discharge waste containing pesticides	Sch. S, 2.1 (h)	\$200
385. Discharge seawater	Sch. S, 2.1 (i)	\$200
386. Discharge of excess uncontaminated water	Sch. S, 2.1 (j)	\$200
387. Unauthorized discharge of stormwater	Sch. S, 2.2	\$100
388. Fail to correctly install monitoring point	Sch. S, 2.4	\$100
389. Fail to install monitoring point following improvement, lab	Sch. S, 2.5 (a)	\$100
390. Fail to install monitoring point following improvement, plumbing	Sch. S, 2.5 (b)	\$100
391. Fail to install monitoring point after exceeding criteria	Sch. S, 2.5 (c)	\$100
392. Fail to use proper methods	Sch. S, 2.6	\$150
393. Fail to install spill containment	Sch. S, 3.1	\$150
394. Discharge unauthorized waste	Sch. S, 3.2	\$150
395. Fail to prepare spill response plan	Sch. S, 4.1	\$100
396. Fail to prepare spill response plan within 30 days	Sch. S, 4.2	\$100
397. Fail to post spill response plan	Sch. S, 4.3	\$50
398. Fail to maintain spill response equipment	Sch. S, 4.4	\$100
399. Fail to carry out spill response plan	Sch. S, 4.5	\$200
400. Fail to removed spilled materials	Sch. S, 4.6	\$150
401. Fail to keep records, name	Sch. S, 5.1 (a)	\$100
402. Fail to keep records, type of waste	Sch. S, 5.1 (b)	\$100
403. Fail to keep records, amount	Sch. S, 5.1 (c)	\$100
404. Fail to keep records, date of transfer	Sch. S, 5.1 (d)	\$100
405. Fail to list procedures	Sch. S, 5.2	\$100
406. Fail to maintain inventory	Sch. S, 5.3	\$100

SCHEDULE 21 TO BYLAW NO. 1857**CAPITAL REGIONAL DISTRICT
SEWER USE BYLAW NO. 5, 2001**

<u>COLUMN 1</u>	<u>COLUMN 2</u>	<u>COLUMN 3</u>
WORD OR EXPRESSIONS DESIGNATING OFFENCE	SECTION	FINE
407. Fail to maintain written procedures	Sch. S, 5.4	\$100
408. Fail to maintain test records	Sch. S, 5.5	\$100
409. Fail to retain records	Sch. S, 5.6	\$100