

CAPITAL REGIONAL DISTRICT
BYLAW NO. 4229

**A BYLAW TO AMEND A BYLAW TO REGULATE STORMWATER DISCHARGES TO THE
MUNICIPAL DRAINAGE SYSTEM OF THE DISTRICT OF CENTRAL SAANICH,
DISTRICT OF NORTH SAANICH AND THE TOWN OF SIDNEY (BYLAW NO. 4168)**

WHEREAS:

- A. Under Bylaw No. 4168, "A Bylaw to Regulate Stormwater Discharges to the Municipal Drainage System of the District of Central Saanich, District of North Saanich and the Town of Sidney", the Regional Board has established a bylaw to regulate discharges to the municipal drainage system and watercourses in order to reduce the risk of pollution of watercourses and the near shore marine environment;
- B. The Board of the Capital Regional District wishes to amend Bylaw No. 4168;

NOW THEREFORE, the Board of the Capital Regional District in open meeting assembled hereby enacts as follows:

- 1 Bylaw No. 4168, "A Bylaw to Regulate Stormwater Discharges to the Municipal Drainage System of the District of Central Saanich, District of North Saanich and the Town of Sidney", is hereby amended by:
 - (a) replacing the preamble in its entirety with the following:

WHEREAS:

- A. The Board of the Capital Regional District has established by Bylaw No. 3906, "Saanich Peninsula Stormwater Source Control Service Establishment Bylaw No. 1, 2013", a service for the purposes of regulating, prohibiting, and imposing requirements in respect to discharges to the municipal stormwater system and watercourses on behalf of the participating municipalities of Central Saanich, North Saanich and Sidney; and
- B. Under its statutory powers, including section 8(3)(j) of the *Community Charter*, SBC 2003, c 26, section 2(1)(a) of the *Spheres of Concurrent Jurisdiction-Environment and Wildlife Regulation*, BC Reg 144/2004, and the *Capital Regional District Regulation*, BC Reg 65/90;

NOW THEREFORE the Board of the Capital Regional District in open meeting assembled enacts as follows:

- (b) replacing the definition of "Discharging Operation" with "means an industrial, commercial, institutional, residential or other undertaking covered by a Code of Practice listed in Schedule "B"."
- (c) In Sections 4.1 and 4.2, replacing "[Date of Adoption of the bylaw]" with "August 1, 2019"
- (d) In Section 4.1, replacing "by [180 days after the Date of Adoption of the bylaw]" with "within 180 days of written notice by the Manager"

- (e) In Section 11.1, replacing “[correct title and No. to be inserted]” with “Saanich Peninsula Stormwater Source Control Bylaw, No. 1, 2017”

PARKING LOT CODE OF PRACTICE

- (f) In Schedule “C”, referred to as the Code of Practice for Parking Lot Operations:
- i. replacing Section 2.2 in its entirety with:

An operator of a parking lot operation that is discharging prohibited waste must take immediate steps to cease the discharge of prohibited waste after discovery of the discharge or written notice by the Manager.
 - ii. In Section 2.8, replacing “passage of oil and grease” with “passage of oil and grease, solids or other material”;
 - iii. replacing Section 2.9 in its entirety with:

A Stormwater Rehabilitation Unit installed by a parking lot operation must:

 - (a) be designed and installed such that the discharge into the municipal drainage system or watercourse is equipped with a sampling point downstream of the treatment works and upstream of the discharge point into a municipal storm sewer system or watercourse; and
 - (b) the sampling point is readily and easily accessible at all times for inspection
 - iv. In Section 2.11, replacing “2.10” with “2.7”;
 - v. In Section 2.12, replacing “Sections 2.2 to 2.6 do” with “Section 2.3 does”;
 - vi. deleting Sections 2.3, 2.4 and 2.5 and renumbering the remaining sections;
 - vii. In Section 3.1, replacing “by [180 days after the Date of Adoption of the bylaw]” with “within 180 days of written notice by the Manager”;
 - viii. In Sections 3.1 and 3.2 replacing “[Date of Adoption of the bylaw]” with “August 1, 2019”;

OUTDOOR STORAGE CODE OF PRACTICE

- (g) In Schedule “D”, referred to as the Code of Practice for Outdoor Storage Operations:
- i. replacing Section 2.3 in its entirety with:

An operator of an outdoor storage operation that is discharging prohibited waste must take immediate steps to cease the discharge of prohibited waste after discovery of the discharge or written notice by the Manager.

- ii. replacing Section 2.10 in its entirety with:

A Stormwater Rehabilitation Unit installed by an outdoor storage operation must:

(a) be designed and installed such that the discharge into the municipal drainage system or watercourse is equipped with a sampling point downstream of the treatment works and upstream of the discharge point into a municipal storm sewer system or watercourse; and

(b) the sampling point is readily and easily accessible at all times for inspection

- iii. In Section 2.12, replacing “2.11” with “2.8”;

- iv. deleting Section 2.4, 2.5 and 2.6 and renumbering the remaining sections;

- v. In Section 4.1, replacing “by [180 days after the Date of Adoption of the bylaw]” with “within 180 days of written notice by the Manager”

- vi. In Sections 4.1 and 4.2, replacing “[Date of Adoption of the bylaw]” with “August 1, 2019”

- 2 This bylaw may be cited for all purposes as “Saanich Peninsula Stormwater Source Control Bylaw, No. 1, 2017, Amendment Bylaw No. 1, 2019”.

READ A FIRST TIME THIS	th	day of	2019
READ A SECOND TIME THIS	th	day of	2019
READ A THIRD TIME THIS	th	day of	2019
ADOPTED THIS	th	day of	2019

CHAIR

SECRETARY